

Ladattava Kynsipora 35000 rpm M809 Valkea (14625)

KÄYTTÖ

Laitteen käynnistäminen

-Kytke käsiosa laitteeseen.

-Käynnistä tai sammuta laite painamalla virtapainiketta.

-Lisää nopeutta kiertämällä säätönuppia myötäpäivään.

-Vähennä nopeutta kiertämällä säätönuppia vastapäivään.

-Paina F/R-painiketta vaihtaaksesi pyörimissuuntaa.

Lataaminen

-Kun akun merkkivalo vilkkuu, lataa laite mahdollisimman pian mukana toimitetulla Type-C-kaapelilla.

Poranterän vaihtaminen

-Sammuta laite.

-Käännä käsiosan lukitusrengasta vasemmalle avataksesi lukituksen.

-Vedä vanha terä pois.

-Työnnä uusi terä paikalleen niin, että se on kunnolla kiinni.

-Käännä lukitusrengasta oikealle lukitaksesi terän.

-Varmista aina ennen käyttöä, että terä on kunnolla kiinnitetty.

Turvallisuusohjeet

-Älä pura, muokkaa tai korjaa laitetta itse.

-Puhdista terä ennen käyttöä.

-Katkaise virta ennen terän vaihtamista.

-Työnnä terä kunnolla istukkaan. Jätä näkyviin noin 2 mm terän varresta. Väärin asennettu terä voi irrota tai aiheuttaa käsiosan ylikuumentumisen.

-Älä käytä taipuneita, rikkoutuneita tai vaurioituneita teriä.

-Lopeta käyttö välittömästi, jos laitteesta kuuluu poikkeavaa ääntä tai siinä esiintyy voimakasta värinää.

-Älä koske pyöriin osiin laitteen käytön aikana.

-Käyttölämpötila: -20 °C – +40 °C.

-Säilytä poissa lasten ulottuvilta.

Käytä ainoastaan sopivaa virtalähdettä ja varmista, että liitännät on tehty oikein.

VAROITUKSET

Älä käytä tätä laitetta kylpyammeen, suihkun, altaan tai muun vettä sisältävän astian lähellä. Kun laitetta käytetään kylpyhuoneessa, irrota se pistorasiasta käytön jälkeen, koska veden läheisyys aiheuttaa vaaraa myös laitteen ollessa sammutettuna.

Lapset joiden ikä on 8 vuotta tai yli ja henkilöt, joilla on rajoitettu fyysinen, aistinvarainen, henkinen ominaisuus tai kokemuksen ja tiedon puute saavat käyttää tätä laitetta ainoastaan, jos heitä valvotaan tai heitä on opastettu laitteen turvalliseen käyttöön ja he ymmärtävät laitteen käytössä esiintyvät vaarat. Lapset eivät saa leikkiä laitteella. Lapset eivät saa suorittaa puhdistamista ja käyttäjän huoltotoimenpiteitä ilman valvontaa.

TAKUU

Tuotteella on yhden (1) vuoden takuu. Takuu kattaa laitteen takuuaikana esiin tulevat valmistusvirheet. Takuu ei kata normaalia laitteen kulumista ja siitä johtuvia vikoja. Tuotteita täytyy käyttää ohjeiden mukaisesti ja laitteen ylikuormittaminen ei ole takuun alainen vika. Laitteet pitää puhdistaa säännöllisesti, koska lika lyhentää tuotteen käyttöikää. Jos laitetta käytetään ammattikäytössä, takuuaika on puolet normaalista takuuaajasta. Takuu ei sisällä tuotteen toimituskuluja takuuhuoltoon vaan asiakkaan täytyy maksaa toimituskulut itse tai tuoda laite myymäläämme huoltoon. Takuuhuollon jälkeen tuote toimitetaan asiakkaalle takaisin edullisimmalla tavalla.

HÄVITTÄMINEN

Tuotetta ei saa hävittää kotitalousjätteen mukana. Toimita tuote sähkö- ja elektroniikkaromun keräyspisteeseen paikallis-
mukaisesti.

HUOLTO JA ASIAKASPALVELU

Vikatilanteissa, takuuasioissa ja huoltotarpeissa ota yhteyttä maahantuojaan. Älä käytä vaurioitunutta tuotetta.

MAAHANTUOJA:

CH Nails Oy
Ollilantie 1, 90440 Kempele
asiakaspalvelu@kynsitukku.com





Portable Nail Drill 35000rpm M809 White (14625)

ANVÄNDNING

Starta enheten

- Anslut handdelen till enheten.
- Starta eller stäng av enheten genom att trycka på strömbrytaren.
- Öka hastigheten genom att vrida justeringsratten medurs.
- Minska hastigheten genom att vrida justeringsratten moturs.
- Tryck på F/R-knappen för att byta rotationsriktning.

Laddning

- När batteriets indikatorlampa blinkar, ladda enheten så snart som möjligt med den medföljande Type-C-kabeln.

Byte av borrarspets

- Stäng av enheten.
- Vrid låsring på handdelen åt vänster för att öppna låset.
- Dra ut den gamla spetsen.
- Sätt i den nya spetsen på plats så att den sitter ordentligt.
- Vrid låsringen åt höger för att låsa spetsen.
- Kontrollera alltid före användning att spetsen är ordentligt fäst.

Säkerhetsanvisningar

- Demontera, modifiera eller reparera inte enheten själv.
- Rengör spetsen före användning.
- Koppla bort strömmen innan du byter spets.
- Sätt spetsen ordentligt i chucken. Lämna cirka 2 mm av spetsens skaft synligt. En felaktigt installerad spets kan lossna eller orsaka överhettning av handdelen.
- Använd inte böjda, trasiga eller skadade spetsar.
- Sluta använda omedelbart om enheten avger ovanliga ljud eller uppvisar kraftig vibration.
- Rör inte vid roterande delar under enhetens användning.
- Användningstemperatur: -20 °C – +40 °C.
- Förvara utom räckhåll för barn.

Använd endast lämplig strömkälla och se till att anslutningarna är korrekt gjorda.

VARNINGAR

Använd inte apparaten nära badkar, dusch, handfat eller andra kärl som innehåller vatten. När apparaten används i badrum, dra ur kontakten efter användning eftersom närheten till vatten utgör en fara även när apparaten är avstängd.

Barn från 8 år och personer med nedsatt fysisk, sensorisk eller mental förmåga eller bristande erfarenhet och kunskap får endast använda apparaten om de övervakas eller har fått instruktioner om säker användning av apparaten och förstår de risker som användningen innebär. Barn får inte leka med apparaten. Barn får inte utföra rengöring eller användarunderhåll utan tillsyn.

GARANTI

Produkten har ett (1) års garanti. Garantin täcker tillverkningsfel som uppstår under garantitiden. Garantin täcker inte normalt slitage eller fel som beror på slitage. Produkten ska användas enligt anvisningarna och överbelastning omfattas inte av garantin. Apparaten ska rengöras regelbundet eftersom smuts förkortar produktens livslängd. Vid professionell användning är garantitiden hälften av den normala garantitiden. Garantin omfattar inte fraktkostnader till garantiservice; kunden betalar frakten själv eller lämnar produkten till vår butik för service. Efter garantiservice returneras produkten på det förmåligaste sättet.

AVFALLSHANTERING

Produkten får inte kasseras med hushållsavfall. Lämna produkten till en lämplig insamlingsplats för el- och elektronikavfall enligt lokala anvisningar.

SERVICE OCH KUNDTJÄNST

Vid fel, garantifrågor eller behov av service, kontakta importören. Använd inte en skadad produkt.

IMPORT:

CH Nails Oy
Ollilantie 1, 90440 Kempele
asiakaspalvelu@kynsitukku.com



Certificate of Conformity

Certificate Number: DL-241219020EC

Applicant: Guangzhou Jinghai Smart Technology Co., Ltd.
Floor 4, NO.76 Xindun Road, Xundun Village, Xintang Town, Zengcheng District, Guangzhou

Manufacturer: Guangzhou Jinghai Smart Technology Co., Ltd.
Floor 4, NO.76 Xindun Road, Xundun Village, Xintang Town, Zengcheng District, Guangzhou

Product: Nail Drill

Model No.: 805, 801, 802, 803, 806, 807, 808, 809, 810, 811, 812, 813, 815, 820, 830, 840, 850, 901, 902

Test Standard: BS EN IEC 55014-1:2021
BS EN IEC 61000-3-2:2019+A2:2024,
BS EN 61000-3-3:2013+A1:2019+A2:2021
BS EN IEC 55014-2:2021
BS EN 61000-4-2:2009, BS EN IEC 61000-4-3:2020,
BS EN 61000-4-4:2012, BS EN 61000-4-5:2014+A1:2017,
BS EN IEC 61000-4-6:2023, BS EN 61000-4-11:2020

The EUT described above has been tested by us with the listed standards and found in compliance with the EMC directive S.L. 2016 No. 1091. It is possible to use UKCA marking to demonstrate the compliance with this EMC directive. It is only valid in connection with the test report number: DL-241219020ER.



This certificate of conformity is based on a single evaluation of the submitted sample(s) of the product and is not valid for other samples or other products. It is not permitted to use the test lab's logo without the written approval. It is not permitted to use the test lab's logo without the written approval. It is not permitted to use the test lab's logo without the written approval.

Shenzhen DH Testing Technology Co., Ltd.
101-201 Comprehensive Building, Tongzhou Huichuan Longgang Factory Area, No.1 Huoshang Fifth Road, Baiming Community, Huoshang Street, Longgang District, Shenzhen, China
Web: www.dh-test.com E-mail: Service@dh-test.com Tel: 400-688-1552



CERTIFICATE ♦ CERTIFICATE ♦ CERTIFICATE



CERTIFICATE OF CONFORMITY

EU - Restriction of the use of certain hazardous substances (RoHS) -
No. CTB23032050CX - ZS

Applicant: Guangzhou Jinghai Smart Technology Co., Ltd.
Address: Floor 3, NO.65 Xindun Road, Xundun Village, Xintang Town, Zengcheng District, Guangzhou

Manufacturer: Guangzhou Jinghai Smart Technology Co., Ltd.
Address: Floor 3, NO.65 Xindun Road, Xundun Village, Xintang Town, Zengcheng District, Guangzhou

Product: Nail Drill

Model(s): 503, D320, 807, D420, 810, D560, 101, D101, 801, 802, 806, 808, 210, D980, D570, 809, 805, 803PHO, D320PHO

Test Report No.: CTB23032050CX

Test Standards: IEC 62321-3-1:2013, IEC 62321-4-2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-6:2015, IEC 62321-7-1:2016 & IEC 62321-7-2:2017, IEC 62321-8:2017

The test results based on the above specified products comply with the EU RoHS Directive 2011/65/EU Appendix II and amendment Directive (EU) 2015/863 limit on the restriction of the use of certain hazardous substances in electrical and electronic equipment.

The test results apply only to the particular sample tested and to the specific tests carried out.



Miles YU (China test manager)
Mar 29, 2023

This Declaration is for the exclusive use of CTB's Client and is provided pursuant to the agreement between CTB and its Client. The observations and test results referenced from this Declaration are relevant only to the sample tested. This Declaration by itself does not imply that the material, product, or service is or has ever been under a CTB certification program.

Shenzhen CTB Testing Technology Co., Ltd.
Code: AL27, Building A, No.26, Xixue Road, Xixue District, Shenzhen, Guangdong.
Web: <http://www.ctb-lab.net> Tel: 40081737283 Email: ctb@ctb-lab.net



User manual - English



Rechargeable Nail Drill 35000 rpm M809 White (14625)

INSTRUCTIONS

Starting the device

- Connect the handpiece to the device.
- Turn the device on or off by pressing the power button.
- Increase the speed by turning the control knob clockwise.
- Decrease the speed by turning the control knob counterclockwise.
- Press the F/R button to change the rotation direction.

Charging

- When the battery indicator light is flashing, charge the device as soon as possible using the included Type-C cable.

Changing the drill bit

- Turn off the device.
- Turn the locking ring on the handpiece to the left to unlock it.
- Pull out the old bit.
- Push the new bit into place so that it is securely attached.
- Turn the locking ring to the right to lock the bit.
- Always ensure before use that the bit is securely attached.

Safety instructions

- Do not disassemble, modify, or repair the device yourself.
- Clean the bit before use.
- Disconnect the power before changing the bit.
- Push the bit properly into the chuck. Leave about 2 mm of the bit shank exposed. A misaligned bit can come loose or cause the handpiece to overheat.
- Do not use bent, broken, or damaged bits.
- Stop using immediately if you hear unusual sounds from the device or if there is strong vibration.
- Do not touch rotating parts during the operation of the device.
- Operating temperature: -20 °C – +40 °C.
- Keep out of reach of children.

Use only an appropriate power supply and ensure that the connections are made correctly.

WARNINGS

Do not use this appliance near a bathtub, shower, basin or any other vessel containing water. When the appliance is used in a bathroom, unplug it after use because proximity to water presents a hazard even when the appliance is switched off. Children aged 8 years or over and persons with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, may use this appliance only if they are supervised or have been instructed in the safe use of the appliance and understand the hazards involved. Children must not play with the appliance. Children must not carry out cleaning or user maintenance without supervision.

WARRANTY

The product has a one (1) year warranty. The warranty covers manufacturing defects that appear during the warranty period. The warranty does not cover normal wear and tear or faults caused by such wear. The product must be used according to the instructions, and overloading the device is not covered by the warranty. The device must be cleaned regularly because dirt shortens the product lifetime. If the product is used professionally, the warranty period is half of the normal warranty period. The warranty does not include shipping costs to warranty service; the customer must pay the shipping costs or bring the product to our store for service. After warranty service, the product will be returned to the customer using the most economical method.

DISPOSAL

Do not dispose of the product with household waste. Take it to an appropriate collection point for electrical and electronic waste.

SERVICE AND CUSTOMER SUPPORT

For faults, warranty questions or service needs, contact the importer. Do not use a damaged product.

IMPORTER:

CH Nails Oy
Olliantie 1, 90440 Kempele
asiakaspalvelu@kynsitukku.com





1. Tuotteen tunnistenumero

Ladattava Kynsipora 35000 rpm M809 Valkea / 14625

2. Valmistajan tai valtuutetun edustajan nimi ja osoite

CH Nails Oy
Ollilantie 1, 90440 Kempele
p. +358-50-4153459
asiakaspalvelu@kynsitukku.com

3. Vastuu

Tämä vaatimustenmukaisuusvakuutus on annettu valmistajan yksinomaisella vastuulla.

4. Vakuutuksen kohde

Ladattava Kynsipora 35000 rpm M809 Valkea / 14625

5. Sovellettava unionin yhdenmukaistamislainsäädäntö

Edellä kuvattu vakuutuksen kohde on asiaa koskevan unionin yhdenmukaistamislainsäädännön vaatimusten mukainen.

Direktiivit ja asetukset

EMC, RoHS, UK-CA

6. Käytetyt yhdenmukaistetut standardit tai tekniset eritelmät

Vaatimustenmukaisuusvakuutus perustuu alla lueteltuihin yhdenmukaistettuihin standardeihin tai muihin teknisiin eritelmiin.

IEC 62321-3-1:2013, IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-6:2015, IEC 62321-7-1:2015, IEC 62321-7-2:2017, IEC 62321-8:2017, EN IEC 55014-1:2021, EN IEC 55014-2:2021.

7. Lisätietoja ja allekirjoitus

Puolesta allekirjoittanut: CH Nails Oy

Paikka ja aika: Kempele, 17.06.2026

Valtuutettu edustaja: CH Nails Oy

Allekirjoittajan nimi ja tittele: Ari Hahto, Tekninen vastuuhenkilö

CH Nails Oy

CTB

CERTIFICATE OF CONFORMITY
EU - Electromagnetic Compatibility (EMC) -
No.: CTB230322027EX-ZS

Applicant	: Guangzhou Jinghai Smart Technology Co., Ltd
Address	: Floor 3, NO.65, Xindun Road, Xundun Village, Xintang Town, Zengcheng District, Guangzhou
Manufacturer	: Guangzhou Jinghai Smart Technology Co., Ltd
Address	: Floor 3, NO.65, Xindun Road, Xundun Village, Xintang Town, Zengcheng District, Guangzhou
Product	: Nail Drill
Trade Mark	: /
Model(s)	: 803, D320, 807, D420, 810, D560, 101, D101, 801, 802, 805, 808, 210, D580, D570, 809, 805, 803PRO, D320PRO
Test Report No.	: CTB230322027EX
Test Standards	: EN IEC 55014-1:2021, EN IEC 55014-2:2021

The tests that base on the above designated product Complies with the essential requirements of Directive 2014/30/EU relating to Electrical Equipment designed for use within Electromagnetic Compatibility.

The test results apply only to the particular sample tested and the applicative tests carries out.

The CE marking as shown below can be affixed on product after manufacturer carries out all stipulation activities integrally of above-mentioned Regulation (Directive) and preparation of necessary technical documentation as well as the conformity declaration.

This statement is based on a single evaluation of sample of above-mentioned product. It does not imply an assessment of the whole production process.

Other relevant Regulation (Directive) requirement have to be observed.

CE

Shenzhen CTB Testing Technology Co., Ltd
Add: 1827F, Building A, No.26, Xixue Road, Xixue Street, Bao'an District, Shenzhen, Guangdong, China.
Web: www.ctb-lab.net Tel: 4008-707-283 Email: ctb@ctb-lab.net

Mar. 24, 2023

CERTIFICATE ♦ CERTIFICATE ♦ CERTIFICATE

CTB

VERIFICATION OF CONFORMITY
- Electromagnetic Compatibility (EMC) -
No.: CTB230322024EX-ZS

Applicant	: Guangzhou Jinghai Smart Technology Co., Ltd
Address	: Floor 3, NO.65, Xindun Road, Xundun Village, Xintang Town, Zengcheng District, Guangzhou
Manufacturer	: Guangzhou Jinghai Smart Technology Co., Ltd
Address	: Floor 3, NO.65, Xindun Road, Xundun Village, Xintang Town, Zengcheng District, Guangzhou
Product	: Nail Drill
Trade Mark	: /
Model(s)	: 803, D320, 807, D420, 810, D560, 101, D101, 801, 802, 805, 808, 210, D580, D570, 809, 805, 803PRO, D320PRO
Test Report No.	: CTB230322024EX
Test Standards	: CFR47, FCC Part 15 Subpart B, ANSI C63.4:2014

Conform to the applicable FCC Rules and Regulations. The method of testing was in accordance to the most accurate measurement standards.

Possible, and that all necessary steps have been enforced to assure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Other relevant Rules have to be observed.

FCC

Shenzhen CTB Testing Technology Co., Ltd
Add: 1827F, Building A, No.26, Xixue Road, Xixue Street, Bao'an District, Shenzhen, Guangdong, China.
Web: www.ctb-lab.net Tel: 4008-707-283 Email: ctb@ctb-lab.net

Mar. 24, 2023

VERIFICATION ♦ VERIFICATION ♦ VERIFICATION